



























PROFILES







Overview Standard Profiles







On the basis of its many years interaction with engineers and end users, Ammeraal Beltech has developed a comprehensive range of profiled belts, capable of meeting all the requirements of industry with respect to efficient product handling. Practically every Ammeraal Beltech belt can be coated with one of over 80 standard available profiles, while specific requirements can be met with custom engineered solutions.







If necessary, new profiles are developed in close cooperation with the customer. Many of today's confectionery products for instance are profiled with brand names using customised Ammeraal Beltech belts.







To give you an impression of the practically unlimited possibilities that exist for improving your product handling, our more successful profiled belts can be found on the following pages.







	A2 Fine rectangle	A5 Cone	A7 Lateral rope
			
			
	industry/application: confectionery, meat industry	industry/application: meat industry, magnetic elevators	industry/application: canning industry
profile depth: 0.2 mm	profile depth: 2.6 mm	profile depth: 1.9 mm	
maximum width: 2200 mm	maximum width: 1950 mm	maximum width: 1150 mm	
further information: -	further information: -	further information: pitch 16 mm, ribs square, 2 mm wide	
	A9 Coin	A11 Rib	A14 Weave
			
			
	industry/application: meat industry	industry/application: drum lagging, tracking strips	industry/application: packaging, bakeries
profile depth: 3.4 mm	profile depth: 2.1 mm	profile depth: 0.4 mm	
maximum width: 1150 mm	maximum width: 1150 mm	maximum width: 2850 mm	
further information: diameter 16 mm, pitch 30 mm	further information: pitch 7.5 mm, ribs square, width 2.5 mm	further information: pitch 4.5 mm, diagonal impression	
	A15 Nipple	A16 Nipple (cone shape)	A17 Nipple 4.5 mm
			
			
	industry/application: drum lagging, laundries, packaging, magnetic elevators	industry/application: tobacco industry, magnetic elevators	industry/application: laundry, metal polishing, harvesting
profile depth: 1.0 mm	profile depth: 1.5 mm	profile depth: 4.5 mm	
maximum width: 2150 mm	maximum width: 1110 mm	maximum width: 1120 mm	
further information: diameter 2 mm	further information: diameter 2.5 mm, pitch 9 mm	further information: diameter 6.0 mm, pitch 13 mm	
	A20 Diamond 65 mm	A21 Fine diamond	A22 Sandblast (medium)
			
			
	industry/application: airport check-in	industry/application: confectionery, bakery industry	industry/application: treadmills, drum lagging
profile depth: 4.5 mm	profile depth: 0.2 mm	profile depth: -	
maximum width: 2200 mm	maximum width: 2200 mm	maximum width: 3000 mm	
further information: diagonal 65x65 mm	further information: diamonds 2.5 x 1.5 mm	further information: -	































	A24 Herringbone 	A25 Cocks comb 	A26 Pyramid 
			
industry/application:	fish industry, textile industry	packaging industry	marble and granite industry
profile depth:	2.3 mm	4.3 mm	1.9 mm
maximum width:	950 mm	1150 mm	1100 mm
further information:	pitch 9 mm	-	-







	A27 Supernipple 	A30 Chequer 	A31 Longitudinal 
			
industry/application:	inclined applications	airport check-in (small angle of inclination)	vegetable sorting
profile depth:	3.0 mm	1.7 mm	3.2 mm
maximum width:	1060 mm	1070 mm	1100 mm
further information:	diameter 2.0 mm	-	pitch 20 mm, ribs semi-round, 7 mm wide







	A32 Fine Rib (small) 	A34 Supergrip 	A42 Supergrip (wave) 
			
industry/application:	general inclined transport	inclined applications	inclined applications
profile depth:	0.8 mm	2.4 mm	2.4 mm
maximum width:	2200 mm	2070 mm	2100 mm
further information:	pitch 1.5 mm, longitudinal profile	-	waving, low noise execution







	A44 Interrib, longitudinal profile 	A45 Bermuda 	A46 Button 
			
industry/application:	tobacco industry	fish industry	tobacco industry
profile depth:	1.8 mm	0.7 mm	2.0 mm
maximum width:	2200 mm	1150 mm	1150 mm
further information:	ribs 32 x 4 mm, pitch l = 58 mm, w = 20mm	pitch 4 mm	diameter 9 mm, pitch l = 35 mm, w = 19 mm







	A47 AmWeave 	A50 Wavegrip 	A66 Supersonic 
			
industry/application:	inclined applications	small inclined applications, marble polishing	airport, check-in
profile depth:	-	1.0 mm	5.0 mm
maximum width:	2200 mm	2100 mm	1950 mm
further information:	low noise execution	waving, low noise execution	pitch length = 185 mm, pitch width = 150 mm







	 	 	 
industry/application:	wood sanding, metal grinding	food, printing, packaging, reduce friction	food, printing, packaging, release and incline
profile depth:	3.5 mm	0.1 mm	0.2 mm
maximum width:	2000 mm	2000 mm	2000 mm
further information:	pitch 19x19 mm, diagonal	pitch 0.8 mm	pitch 1.5 mm
	 	 	 
industry/application:	food, printing, packaging, cooling tunnel	confectionery, bakery industry	general application
profile depth:	-	0.4 mm	-
maximum width:	2000 mm	1500 mm	1600 mm
further information:	pitch 2.0 mm	diamonds 3 x 2 mm	-
	 	 	 
industry/application:	agriculture, horticulture	packaging, bakery industry	inclined applications
profile depth:	4.0 mm	0.4 mm	3.5 mm
maximum width:	1500 mm	2000 mm	2000 mm
further information:	pitch 25 mm	pitch 4.5 mm, diagonal impression	-
	 	 	 
industry/application:	packaging, bakery and tobacco industry	general inclined transport	grip in wet circumstances
profile depth:	1.0 mm	0.6 mm	3.0 mm
maximum width:	1600 mm	3000 mm	1500 mm
further information:	straight	pitch 1.5 mm	pitch 5 mm
	 	 	 
industry/application:	treadmills	drum lagging, tracking strips	fish industry
profile depth:	-	2.7 mm	1.5 mm
maximum width:	3200 mm	1500 mm	1600 mm
further information:	-	pitch 8 mm, ribs square, width 2.5 mm	pitch 3.5 mm































	P13 Sawtooth (bigger pitch)  	P14 Longitudinal ribs 50 mm  	P17 Fine fabric structure  
industry/application:	meat, fish, poultry industry	wood industry	general application
profile depth:	1.8 mm	3.0 mm	-
maximum width:	1600 mm	1500 mm	3000 mm
further information:	pitch 9 mm	pitch 50 mm	-







	P18 Medium fabric structure  	P19 Stipple top (small nipples)  	P20 Big nipple top 27 mm  
industry/application:	general application	drum lagging, laundries, packaging, magnetic elevators	tobacco industry
profile depth:	-	1.0 mm	2.0 mm
maximum width:	3000 mm	1500 mm	1500 mm
further information:	-	diameter 1.5 mm	diameter 9 mm, pitch l = 27 mm, w = 10 mm







	P21 Big nipple top 35 mm  	P22 Sand pattern (smooth)  	P23 Random pattern (boomerang)  
industry/application:	tobacco industry	treadmills, drum lagging	fish industry
profile depth:	2.0 mm	-	1.0 mm
maximum width:	1500 mm	1600 mm	1500 mm
further information:	diameter 9 mm, pitch 35 mm	-	-







	P24 Basket weave  	P25 Ramps  	P26 Square sander  
industry/application:	inclined applications	marble polishing, ceramic grinding, mail sorting	wood sanding
profile depth:	-	5.0 mm	3.0 mm
maximum width:	3000 mm	3000 mm	1500 mm
further information:	-	also available with lateral intermediate space	pitch 18 x 18 mm, rectangular







	P27 Herringbone (grooved)  	P29 Positive rhomboid  	P31 Reversed ramp profile  
industry/application:	fish industry	confectionery industry	marble industry
profile depth:	2.5 mm	-	5.0 mm
maximum width:	1600 mm	1500 mm	3000 mm
further information:	pitch 9 mm	-	-







	P32 Pillow	P34 Oval studs (tobacco)	P35 Spots (round shape)
			
			
	industry/application: tobacco industry	industry/application: tobacco industry	industry/application: tobacco industry, magnetic elevators
profile depth: 2.0 mm	profile depth: 1.5 mm	profile depth: 1.1 mm	
maximum width: 2000 mm	maximum width: 1600 mm	maximum width: 1600 mm	
further information: -	further information: ribs 19 x 4 mm, pitch l = 30 mm, w = 14 mm	further information: diameter 2.5 mm, pitch 9 mm	
	P36 Big square (airport)	P38 Very fine fabric structure	P40 Curved cleat
			
			
	industry/application: airport check-in	industry/application: paper and printing industry	industry/application: agriculture, ceramic industry
profile depth: 4.5 mm	profile depth: -	profile depth: 13 mm	
maximum width: 1500 mm	maximum width: 2000 mm	maximum width: -	
further information: diagonal 70 x 70 mm	further information: -	further information: pitch 200 mm, standard width 400, 600 and 800 mm	
	P41 Transversal ribs (spaghetti)	P45 Rough top (bigger nipples)	P47 Inverted diamond
			
			
	industry/application: inclined transport, food	industry/application: inclined transport, heavy applications	industry/application: confectionary industry
profile depth: 3.0 mm	profile depth: 3.5 mm	profile depth: -	
maximum width: 1500 mm	maximum width: 1500 mm	maximum width: 1600 mm	
further information: pitch 20 mm	further information: -	further information: -	
	P48 Longitudinal groove	P49 Big nipple top 65 mm	P50 Grip face (wave)
			
			
	industry/application: paper & print, cardboard	industry/application: tobacco, inclined conveying (PVC)	industry/application: inclined applications
profile depth: 1.5 mm	profile depth: 2.6 mm	profile depth: 3.5 mm	
maximum width: 2000 mm	maximum width: 1600 mm	maximum width: 2000 mm	
further information: -	further information: pitch 65 mm (belt direction), pitch 75 mm	further information: low noise execution	
	P52 Longitudinal ribs 25 mm	P54 Fine fabric T-structure	C5 Light fabric
			
			
	industry/application: agriculture, horticulture	industry/application: Drum lagging	industry/application: general application, tire industry
profile depth: 4.0 mm	profile depth: -	profile depth: -	
maximum width: 3000 mm	maximum width: 3000 mm	maximum width: 1829 mm	
further information: pitch 25 mm	further information: -	further information: -	

	C37 Supergrip 	C46 Pyramid top 	C52 Diamond impression 
			
industry/application:	universal	food, tobacco industry	wood sanding, airports, logistics
profile depth:	3.5 mm	2.1 mm	4.0 mm
maximum width:	1829 mm	1524 mm	1829 mm
further information:	-	pitch 4 x 4 mm	diamonds 28 x 9 mm

	C57 Neatgrip 	C68 Chemclimb 	C69 Meatcleat 
			
industry/application:	treadmills, bakeries, dough handling	wet inclinations	meat, poultry, seafood
profile depth:	1.2 mm	4.0 mm	2.8 mm
maximum width:	1829 mm	1524 mm	1829 mm
further information:	-	ovals 13 x 4 mm	pitch 25 mm

	C71 Chemridge 	C72 Sandgrit (rough) 	C73 Light Supergrip 
			
industry/application:	general inclined transport	drum lagging, textile industry – non-slip tape	textile industry – non-slip tape
profile depth:	4.0 mm	-	2.4 mm
maximum width:	1524 mm	1524 mm	1524 mm
further information:	pitch 13 mm	-	pitch 6 mm

	A8-P15 Pepita 	A13-P28 Sawtooth 	A18-P1 Fine square pyramid 
			
industry/application:	inclined transport in clean circumstances	meat, fish, poultry industry	bakery industry, rubber industry
profile depth:	-	2.0 mm	0.5 mm
maximum width:	2200 mm	2000 mm	3000 mm
further information:	-	pitch 7 mm	pitch 18x18 mm, diagonal

	A54-P33 Marathon 	A58-P39 Charlie 	A72-P72 
			
industry/application:	treadmills	confectionery industry	people conveying
profile depth:	-	-	3.0 mm
maximum width:	2000 mm	2000 mm	1600 mm
further information:	-	-	diameter 16 mm

Local Contacts

www.rydell.com.au

VICTORIA

HEAD OFFICE 148-150 Cochranes Road Moorabbin 3189 Victoria
 BRANCH Factory 16/24 Kanowna Street Hastings 3915 Victoria
 BRANCH 22 Binney Road Kings Park 2148 New South Wales
 BRANCH 12 Machinery Street Darra 4076 Queensland
 BRANCH 17-19 Churchill Road North Dry Creek 5094 Sth Aust
 BRANCH Unit 3/75 Crocker Drive Malaga 6090 West Aust

Phone (03) 9555 7922 Fax (03) 9553 3908
 Phone (03) 5979 4447 Fax (03) 5979 4205
 Phone (02) 9831 7300 Fax (02) 9831 8822
 Phone (07) 3375 6211 Fax (07) 3375 6042
 Phone (08) 8162 9922 Fax (08) 8162 9933
 Phone (08) 9249 3777 Fax (08) 9249 3778

Email: salesvic@rydell.com.au
 Email: salesnsw@rydell.com.au
 Email: salesqld@rydell.com.au
 Email: salessa@rydell.com.au
 Email: saleswa@rydell.com.au

Austria

T +43 171728 133
sales@ammeraalbeltech.de
www.ammeraalbeltech.at

India

T +91 44 265 34 244
info@ammeraalbeltech.net.in
www.ammeraalbeltech.com

Sweden

T +46 44 780 3010
info@ammeraalbeltech.se
www.ammeraalbeltech.se

Belgium

T +32 2 466 0300
salesgb@ammeraalbeltech.be
www.ammeraalbeltech.be

Italy

T +39 051 660 60 06
info@ammeraalbeltech.it
www.ammeraalbeltech.it

Switzerland

T +41 55 2253 535
info@ammeraalbeltech.ch
www.ammeraal-beltech.ch

Canada

T +1 905 890 1311
info@ammeraalbeltech.ca
www.ammeraalbeltech.ca

Luxembourg

T +352 26 48 38 56
sales@ammeraal-beltech.lu
www.ammeraal-beltech.lu

Thailand

T +66 2 902 2604-13
sales@ammeraalbeltech.th.com
www.ammeraalbeltech.com

Chile

T +56 233 12900
ventas@ammeraalbeltech.cl
www.ammeraalbeltech.cl

Malaysia

T +60 3 806 188 49
sales.kl@ammeraalbeltech.my
www.ammeraalbeltech.com

United Kingdom

T +44 1992 500550
sales@ammeraalbeltech.co.uk
www.ammeraalbeltech.co.uk

China

T +86 21 5280 6810
info@ammeraalbeltech.com.cn
www.ammeraalbeltech.com.cn

Netherlands

T +31 72 57 51212
info@ammeraalbeltech.nl
www.ammeraalbeltech.nl

United States

T +1 847 673 6720
info@ammeraalbeltechusa.com
www.ammeraal-beltechusa.com

Czech Republic

T +420 567 117 211
prodej@ammeraalbeltech.cz
www.ammeraalbeltech.cz

Poland

T +48 32 44 77 179
biuro@ammeraalbeltech.com
www.ammeraalbeltech.com

Vietnam

T +84 8 376 562 05
dmh@ammeraalbeltech.com.vn
www.ammeraalbeltech.com.vn

Denmark

T + 45 75 72 31 00
admin@unichains.com
www.unichains.com

Portugal

T +351 22 947 94 40
geral@ammeraalbeltech.pt
www.ammeraalbeltech.pt

Finland

T +358 207 911 400
info@ammeraalbeltech.fi
www.ammeraalbeltech.fi

Singapore

T +65 62739767
sales@ammeraalbeltech.sg
www.ammeraalbeltech.com

France

T +33 3 20 90 36 00
client@ammeraalbeltech.fr
www.ammeraalbeltech.fr

Slovakia

T +421 2 55648541-2
predaj@ammeraalbeltech.sk
www.ammeraalbeltech.sk

International Head Office:

Ammeraal Beltech Holding B.V.

Handelsstraat 1
 P.O. Box 38
 1700 AA Heerhugowaard
 The Netherlands

Germany

T +49 4152 937-0
sales@ammeraalbeltech.de
www.ammeraalbeltech.de

South Korea

T +82 31 448 3613-7
amel@ammeraalbeltech.co.kr
www.ammeraalbeltech.co.kr

T +31 72 5751212

F +31 72 5716455
info@ammeraalbeltech.com
www.ammeraalbeltech.com

Hungary

T +36 30 311 6099
info@ammeraalbeltech.hu
www.ammeraalbeltech.hu

Spain


T +34 93 718 3054
ventas@ammeraalbeltech.es
www.ammeraalbeltech.es

Solid advice
For all your belting needs
Local stock & service



Conveyor Belts

Timing Belts



Seamless Belts

Transmission Belts



Modular Belts

Fabrication & service