

# Treadmill Belts



**Ammeraal Beltech is a leading manufacturer of process and conveyor belting with an established reputation for developing innovative solutions for belting applications.**

Working closely with treadmill OEM's Ammeraal Beltech have developed a range of Low Energy treadmill belts giving superior performance on treadmills whether in clubs, hotels or medical centres.

Ammeraal Beltech also supplies traditional treadmill belts for home fitness and special belts with hydrolisis and low temperature resistant top cover material for aqua-gym treadmills.

## Main features

- Stable belt construction
- Permanent antistatic
- Resistant to abrasion
- Silent running and excellent grip
- Smooth tracking properties
- Less heat build-up
- Low power consumption
- The Low Energy belts with heat resistant fabric need no lubrication; maintenance free

## Benefits

- Less energy consumption
- Smooth and economical operation
- Operational safety
- No pollution build-up
- Long service life



# Innovation & Service in Belting

## Technical information

### Treadmill Belt Range

Article no.	Nomenclature		No. of plies	Belt thickness [mm]	Weight [kg/m <sup>2</sup> ]	Hardness [shore A]	Force at 1% elongation [N/mm]	Flexing diameter [mm]
<b>Low Energy Treadmill Belts with wax impregnated bottomside</b>								
578353	Flexam	EC/M 8/2 00 + A22 black HC LE	2	2.2	2.2	80	8	40
578352	Flexam	EC/M 8/2 00 + A54 black HC LE	2	2.4	2.2	80	8	40
578402	Flexam	EC/M 8/2 00 + A42 black HC LE <sup>1)</sup>	2	4.4	3.4	35	8	40
578372	Ropanyl	EC/M 8/2 00 + A22 black HC LE	2	1.9	1.9	85	8	35
578360	Ropanol	EC/M 8/2 00 + 00 black HC LE	2	1.6	1.3	-	8	30
<b>Traditional Treadmill Belts with bare fabric bottomside</b>								
577102	Flexam	ES/M 8/2 0 + A22 black AS	2	2.2	2.3	80	8	40
513644	Flexam	ES/M 8/2 0 + A54 black AS	2	2.4	2.3	80	8	50
574552	Flexam	EX 10/2 0 + A42 black AS <sup>1)</sup>	2	4.5	3.6	35	10	50
579072	Flexam	EX 10/2 0 + A54 black AS	2	2.8	3.0	80	10	50
<b>Aqua-gym Treadmill Belts with bare fabric bottomside</b>								
572972	Flexam	ESF 5/1 0 + A54 black AS	1	1.5	1.7	80	5	30


<sup>1)</sup> Special soft walking surface for orthopedic applications

AS = antistatic, HC = high conductive, LE = low energy consumption (no lubrication required)

**A54**  
Marathon profile




**A42**  
Supergrip profile



**A22**  
Sandblast profile



Many treadmill belts carry a logo or other marking to indicate that the belt is moving. Traditional screen or foil printing damages easily. Ammeraal Beltech uses innovative laser technology which is versatile and permanent. The logo life is the belt life!



Solid advice  
For all your belting needs  
Local stock & service  
[www.ammeraalbeltech.com](http://www.ammeraalbeltech.com)

**Ammeraal Beltech** Holding B.V.  
Handelsstraat 1, P.O. Box 38  
1700 AA Heerhugowaard  
The Netherlands

This information is subject to alteration due to continuous development. Ammeraal Beltech will not be held liable for the incorrect use of the above stated information. This information replaces previous information. All activities performed and services rendered by Ammeraal Beltech are subject to general terms and conditions of sale and delivery, as applied by its operating companies.

T +31 (0)72 57 51 212  
F +31 (0)72 57 16 455  
info@ammeraalbeltech.com